



Abstract #10598

Abstract Title: Al- and Fe-bearing layered double hydroxides as effective adsorbents of aqueous V(V): the effect of brucite-like layer and interlayer chemistry

Authors (presenting author in bold): Karolina Rybka and Jakub Matusik, AGH University of Science and Technology

Abstract Text:

Vanadium is a strategic metal used in many industries, e.g.: steel, catalysis, pigment, and chemical. When introduced into wastewater and not effectively disposed prior to discharge into the environment, it can pose a threat to living organisms. Because of its high utility in industry, methods of vanadium removal from wastewaters should include its recovery. Adsorption-based methods often allow multiple regenerations of the adsorbent and sorbate recovery at the same time. Among the adsorbents suitable for anions removal, layered double hydroxides (LDH) represent a large group of effective anion exchangers. A variety of metals and anions can be incorporated into their structure. Their positively charged layered structure and weakly bonded charge-balancing interlayer anions make them promising candidates for the removal of anionic species. This is, however, strongly dependent on their chemical composition. The goal of this work was to investigate the efficiency of anionic species removal by LDH with various chemical composition and different interlayer anions. Four LDHs comprising structural Mg(II), Al(III) or Fe(III) and interlayer CO_3^{2-} or SO_4^{2-} , were obtained through co-precipitation synthesis and tested towards V(V) removal. The maximum capacity of the obtained materials and the kinetics of the V(V) adsorption process were investigated along with the stability of the adsorbents. All materials showed a high adsorption efficiency. However, the Al-bearing LDH were more effective than the Fe-bearing LDH in terms of both adsorption at various initial concentrations and the removal rate. The chemistry of the interlayer anion had a clear impact on their adsorption properties. However, the differences were less significant for the Fe-bearing LDH. The stability of the materials showed differences only at high initial concentrations (>10 mmol/L).

This project was supported by the National Science Centre Poland, under a research project awarded by Decision No. 2017/27/B/ST10/00898.

Primary Session:

13hP4: Surface water, groundwater, and soil pollution: sustainable water resources management and novel reactive materials for advanced remediation processes.

Slot:

13hP4: Wednesday, 13 July 2022: 17:30-19:30

Submitter's E-mail Address:

jmatusik@agh.edu.pl

Submitter Full Name:

Jakub Matusik

Preferred Presentation Style:

Poster

Conference Attendance:

In person

Submission Permission and Copyright:

I grant non-exclusive copyright for my abstract and any related uploaded content to the Conference Exchange and the conference owners. I give permission for my details to be stored in the conference database. I, and the presenting author (if different than the submitter), agree to be contacted by the conference organizers about this submission. I agree to the recording and online streaming of any presentations scheduled as a result of this submission. I confirm all listed authors have agreed to these terms.

Keywords:

LDH, adsorption and vanadium

First Presenting Author

Presenting Author

Karolina Rybka

Email: krybka@agh.edu.pl

Alternate Email: krybka@agh.edu.pl

AGH University of Science and Technology

Faculty of Geology, Geophysics and Environmental Protection

Mickiewicza 30

Krakow 30059
Poland

Second Author

Jakub Matusik

Email: jmatusik@agh.edu.pl

AGH University of Science and Technology

Faculty of Geology, Geophysics and Environmental Protection

al. Mickiewicza 30

Krakow 30059

Poland